




Edition 3/2008

Now convert to new BPW shock absorbers.
Improved driving comfort, a smoother ride for the payload
and weight saving.






New BPW shock absorbers

The further technical development of tried-and-tested BPW shock absorbers has delivered additional benefits:

- Very good damping properties because of optimised characteristics and improved response
- Optimised installation space because of a protective tube with a reduced diameter from 82mm to 75mm (lower tube 72 mm to 65 mm)
 - Weight reduction by about 1 kg (per axle)
- Identical installation and connection dimensions compared to previous version guarantee 100% exchangeability





New BPW shock absorbers

| BPW "old" | BPW "new" | Comparison numbers (suitable for) | |
|---------------|---------------|--------------------------------------|--------|
| | | Wabco | Sachs |
| 02.3722.14.00 | 02.3722.83.00 | 438 601 230 0 | 123868 |
| 02.3702.52.00 | 02.3722.83.00 | 438 601 066 0 | 170182 |
| 02.3702.92.00 | 02.3722.88.00 | 438 601 070 0 | 112925 |
| 02.3702.70.00 | 02.3722.89.00 | / | |

- Note that the units on each axle must be replaced as a set
(2 identical dampers per axle)
- However, it is permitted to have different units on individual axles
within the vehicle.
- The familiar "old" variants will be phased out and all will be replaced
by the new variants
- This means there will be fewer variants, easier warehouse logistics
and identification