

THE BPW EFFECT

676 €

at 100.000 km

THE BPW EFFECT

829 €
at 150.000 km

THE BPW EFFECT

984

at 200.000 km

BPW AirSave

OPTIMAL PRESSURE FOR MAXIMUM SAVINGS.



BPW AirSave

OPTIMAL PRESSURE FOR MAXIMUM SAVINGS.

Maximum cost-effectiveness and greater safety thanks to optimal tyre pressure.

BPW's AirSave allows you to continuously track and control your tyre pressure while driving.

The tyre pressure is constantly monitored and automatically adjusted to the desired level via a control box with booster. Should the pressure deviate considerably from the norm, for example in the event of tyre damage, a warning light informs the driver to this effect so that they can promptly drive to a service station instead of having to stop on the side of the motorway. This significantly reduces the risk of accidents, prevents downtimes, saves fuel by maintaining optimal pressure at all times, and reduces CO₂ emissions.



^{*}As a result of fuel and tyre savings based on a 3-axle trailer (assuming mileage of 120,000 km/year and an average pressure deviation of 10%)



tyre blow-outs

Product overview AirSave Valid from 01.08.2019



AirSave Base Kit

Name	BPW material	Basis 1&2 Axle	Basis 3-Axle	Basis 4-Axle	Basis 5-Axle
AirSave Control Box (Booster)	02.0130.02.30	1	1	1	1
AirSave LED Light CMP5	02.0130.01.30	1	1	1	1
AirSave Reduction for Booster 8-6mm	02.3141.11.00	2	3	3	3
Safety plug AirSave for control box	02.3704.99.00	2	0	0	0
AirSave T-Piece Conn. f. compressed air tube	02.4319.45.00	0	0	1	2
Kit AirSave BPW		05.801.47.19.0	05.801.47.20.0	05.801.47.21.0	05.801.47.22.0

Axle Lines Kit (one axle line kit required per axle)

Name	BPW material	9t ETO	9t ET 120	9t twin	10-12t ET 0	10-12t twin
BPW AirSave hub cap adapter Kit 9 t	05.801.47.17.0	2	2	2	0	0
BPW AirSave hub cap adapter Kit 10-12 t	05.801.47.18.0	0	0	0	2	2
AirSave Rotor L=90 mm ET 0 & ET 120	02.0130.00.30	2	2	0	2	0
AirSave Rotor T=90 mm twin	02.0130.05.10	0	0	2	0	2
AirSave valve tube ET 0	02.3510.05.10	2	0	2	2	2
AirSave valve tube ET 120	02.3510.06.10	0	2	0	0	0
AirSave valve tube twin	02.3510.07.10	0	0	2	0	2
Kit AirSave BPW		05.801.47.23.0	05.801.47.25.0	05.801.47.24.0	05.801.47.26.0	05.801.47.27.0



Product overview Telematics

Available from Q1/2020

Optional accessories

Name	BPW material	Name	BPW material
Telematic-Kit AirSave	02.1819.01.10	Superseal-Kit for AirSave	92.0000.1685
Extension cable for AirSave basic kit	92.0000.0024	Grommet for superseal kit	92.0000.1687



In order to offer even more comfort and safety for driver, freight and vehicle, the connection of AirSave to telematics will be possible. The signal triggered by AirSave in the event of a flat tyre is transmitted in parallel to the external lamp and the telematics system. The driver or fleet management receives the current status of the AirSave system in real time. This is conveniently displayed in the all-in-one platform cargofleet 3 or the DriverApp from idem telematics. Further information and personal advice on all aspects of telematics can be found at: www.idemtelematics.de



The brands of the BPW Group:













BPW Bergische Achsen Kommanditgesellschaft

Postbox $1280 \cdot 51656$ Wiehl, Germany \cdot Telephone +49 (0) 2262 78-0 info@bpw.de · www.bpw.de/en/airsave